

**FORM-II
PART-A**

NOTIFICATION OF THE SOCIAL IMPACT ASSESSMENT (SIA)

Section 4(1) A.P. Rule 6(2)

Rc.No. ¹²⁹ ~~04707~~/2016/G1

Dt: 22-4-2016

Where as it appears to the Government of Andhra Pradesh that the land / lands specified in the schedule below and situated in the **NIDAMARRU-1** village **MANGALAGIRI** Mandal **GUNTUR** District is / are needed for a public purpose to wit, for **CAPITAL CITY DEVELOPMENT PROJECT** and as it has become necessary to commence consultation with local bodies / land owners notice to that effect is hereby given to all to whom it may concern in accordance with the provisions of sub section - 1 of section 4 of the RFCT LA R&R Act 2013.

Now therefore in exercise of the powers conferred by sub section-1 of section-4 of the said Act, the District Collector / appropriate Government hereby authorizes the Special Deputy Collector, Unit No. **06**, Village **NIDAMARRU-1**, his agency, staff and workmen to exercise the powers conferred under section 4, 5, 6 of the said Act, to conduct Social Impact Assessment.

- (1) Name of the project developer : **ANDHRA PRADESH CAPITALREGION DEVELOPMENT AUTHORITY**
- (2) Description of project : **CAPITALCITY DEVELOPMENT PROJECT**
- (3) SIA objects : 1. Bonafides of public purpose
2. Requirement of minimum lands to the Project
3. To identify alternate land for acquisition
4. To assess measures to be taken to safe guard Food Security
5. Study of Social Impact of the Project
6. To make provision for R & R to the affected families by conducting Socio Economic Survey

- (4) Key activities : 1. Consultation
 2. Survey
 3. Social Impact Assessment Report
 4. Preparation of Social Impact Management Plan
 5. Public hearing
 6. Publication of SIA study Report / Social Impact Management Plan

(5) Statement of affect of coercion / threat :

Any attempt at coercion or threat during the period of conduct of SIA render the exercise null and void.

(6) Contact information :

	State SIA Unit / CRR	Dist. Collector	Other authorized officers
Phone No.	040-23180123 Fax-23180135	0863-2234070 0863-2225907	1. 7093893425 2.
Mail id / web site	enquiry@eptri.com www.eptri.com	Collector_gntnr@ap.gov.in www.guntur.nic	crda lsp 6 @gmail.com
Postal address	E.P.T.A.I, Sy.No.91/4, Gatchi Bauli, Hyderabad	Collector's office Guntur	Nidamaruru Post Mangalagiri (M) Guntur Dist

SCHEDULE

LPS Unit No.06 Village :NIDAMARRU-1 Mandal :MANGALAGIRI District: Guntur

Survey No	Sub Division No	Total Extent Acs.cts	Extent covered by SIA Ac.Cts.	Classification on Dry / Jareebu	Remarks
4		4.77	0.770	Dry	
6		6.85	1.900	Dry	
7		4.26	0.3550	Dry	
9	9-B	5.95	0.200	Dry	
14		4.17	0.500	Dry	
16		3.61	0.080	Dry	
17		4.6	0.850	Dry	
24		5.23	1.7300	Dry	
27		5.14	2.0800	Dry	
29		5.76	0.0800	Dry	
30	30-A	3.08	0.0200	Dry	
32		8.42	1.380	Dry	

34		3.05	0.0300	Dry	
35		1.85	0.5350	Dry	
36		4	0.110	Dry	
39		2.73	0.010	Dry	
43		2.70	0.0100	Dry	
44		2.8	0.380	Dry	
45		1.5	0.400	Dry	
47	47-A	1.54	0.0200	Dry	
48	48-1A	2.57	0.410	Dry	
48	48-2A	1.76	0.210	Dry	
49	49-A	3.15	1.0875	Dry	
49	49-B	1.11	0.0500	Dry	
49	49-C	2.16	0.5500	Dry	
50	50-A	2.76	1.7600	Dry	
51	51-2E	1.82	0.0300	Dry	
52	52-A	2.2	1.100	Dry	
54		5.21	0.0500	Dry	
55	55-C	3.99	0.6000	Dry	
56	56-B	1.09	0.1100	Dry	
56	56-C	3.21	0.5200	Dry	
57	57-A	3.97	2.6500	Dry	
57	57-B	3.63	2.4900	Dry	
58		9.92	2.6700	Dry	
61	61-A	3.98	0.1000	Dry	
61	61-C	2.32	0.0500	Dry	
61	61-D	3.28	1.0800	Dry	
63	63-A	3.88	0.970	Dry	
63	63-B	4.28	1.650	Dry	
64		5.00	5.0000	Dry	
65		12.53	8.3000	Dry	
66		11.93	4.5300	Dry	
67		9.68	2.2150	Dry	
68	68-A	1.37	0.7700	Dry	
68	68-B	2.78	1.990	Dry	
68	68-C	1.49	1.0500	Dry	
69		7.46	3.1400	Dry	
70		6.29	1.0950	Dry	
71		4.29	2.6100	Dry	
72	72-A	3.14	1.570	Dry	
72	72-B	3.40	0.0400	Dry	
74	74-A	4.60	4.6000	Dry	
74	74-B	4.58	4.0800	Dry	
75		7.94	1.2550	Dry	
76	76-A	4.05	1.0500	Dry	
76	76-B	4.18	3.180	Dry	
77	77-1	8.81	0.6200	Dry	
77	77-2	4.47	3.0200	Dry	


77	77-3	3.76	3.7600	Dry	
78		4.98	0.615	Dry	
79		5.42	0.8700	Dry	
81	81-A	7.28	3.9600	Dry	
81	81-B	6.86	2.135	Dry	
82		14.53	2.1600	Dry	
83	83-1	2.41	1.710	Dry	
83	83-3	2.55	2.5500	Dry	
83	83-5	3.27	1.1300	Dry	
84		10.40	2.6700	Dry	
85	85-A	2.42	1.3200	Dry	
85	85-D	2.22	2.220	Dry	
86	86-A	2.46	1.2300	Dry	
86	86-C	2.59	2.110	Dry	
86	86-E	3.82	0.010	Dry	
86	86-F	7.39	2.3700	Dry	
87	87-A	8.92	1.1500	Dry	
87	87-B	2.54	0.1650	Dry	
89		7.12	1.310	Dry	
90	90-A	5.71	2.0750	Dry	
90	90-B	1.11	0.840	Dry	
91	91-A	3.21	1.7100	Dry	
92	92-1	5.96	0.1200	Dry	
92	92-2	4.33	0.0500	Dry	
94		6.70	2.4800	Dry	
96	96-A	3.61	3.2100	Dry	
96	96-B	3.79	2.8200	Dry	
96	96-C	1.77	1.1900	Dry	
96	96-D	8.11	6.1100	Dry	
97		2.94	1.0000	Dry	
98		14.63	1.8900	Dry	
99	99-B	4.25	1.2500	Dry	
99	99-C	4.21	2.710	Dry	
100	100-B	1.22	0.0400	Dry	
100	100-D	1.31	0.350	Dry	
100	100-E	1.43	0.950	Dry	
101	101-2	5.04	1.000	Dry	
103		6.20	0.5000	Dry	
104		1.00	0.1700	Dry	
105		3.5	0.510	Dry	
106		21.92	2.9950	Dry	
108	108-A	4.14	0.5300	Dry	
108	108-B	4.12	0.540	Dry	
109		13.84	5.2200	Dry	
110		10.75	2.7400	Dry	
111	111-D	1.21	0.2100	Dry	
113		1.42	0.920	Dry	

114	114-A	3.22	0.050	Dry	
114	114 - C	0.82	0.8200	Dry	
114	114 - D	1.56	1.5600	Dry	
115		1.18	0.8400	Dry	
116	116 - A	3.41	3.4100	Dry	
116	116-B	3.36	3.360	Dry	
116	116 - C	5.07	4.5500	Dry	
117	117 - A	3.86	3.7500	Dry	
117	117 - B	3.90	3.9000	Dry	
117	117 - C	2.67	2.2800	Dry	
118	118-A	1.53	0.1050	Dry	Proposed Road in R1 Zone
118	118-B	1.58	1.5800	Dry	Proposed Road in R1 Zone
118	118-C	1.59	0.1050	Dry	Proposed Road in R1 Zone
124	124 - A	1.56	0.0700	Dry	Proposed Road in R1 Zone
124	124 - B	0.71	0.7100	Dry	Proposed Road in R1 Zone
124	124 -C	0.73	0.6700	Dry	Proposed Road in R1 Zone(Ac 0.30 only)
126		2.66	2.4600	Dry	
128		8.66	2.8600	Dry	
129		8.65	7.5600	Dry	Proposed Road in R1 Zone(Ac 0.19 only)
130	130 -A	2.02	0.7700	Dry	
130	130-B	1.04	1.040	Dry	
130	130 -C	1.57	0.5250	Dry	
130	130 -D	0.45	0.4500	Dry	
130	130 -E	1.08	1.0800	Dry	
131		9.28	5.3500	Dry	
133	133 -A	2.06	1.0300	Dry	
133	133 -B	1.73	1.7300	Dry	
133	133 -C	1.81	0.4050	Dry	
134	134 - A	4.18	4.1800	Dry	
134	134 - B	2.17	2.1700	Dry	
134	134 - C	5.15	5.1500	Dry	
136		2.00	2.0000	Dry	
137		9.66	7.4550	Dry	
138		2.33	0.6400	Dry	
139		3.65	3.6500	Dry	
140		5.42	3.830	Dry	
142		0.90	0.3200	Dry	
143	143 - A	0.75	0.6000	Dry	
143	143 - B	0.75	0.7500	Dry	
143	143 - C	1.49	1.0000	Dry	
146		15.75	3.4800	Dry	
149		2.67	0.0950	Dry	
150		5.24	4.3100	Dry	
151	151 - 2	0.76	0.0400	Dry	
155	155 - 1A	0.16	0.0700	Dry	
155	155 - 1B	0.17	0.0800	Dry	


155	155 -2A	0.14	0.1400	Dry	
155	155 - 2B	0.14	0.0900	Dry	
164	164-2A	1.13	0.550	Dry	
165	165 - A	3.04	1.3100	Dry	
165	165-C	0.06	0.060	Dry	
166	166 - A	5.79	4.2600	Dry	
166	166 - B	3.01	0.4300	Dry	
167		3.15	1.8200	Dry	
168		3.78	0.180	Dry	
170		0.47	0.3400	Dry	
171	171 -A	1.17	1.1700	Dry	
171	171 -B	1.03	1.0300	Dry	
172	172-1	3.20	0.1970	Dry	Proposed Road in R1 Zone
172	172 -2	0.92	0.9200	Dry	
173	173 - B	4.22	4.2200	Dry	
178		0.23	0.2300	Dry	
180		0.46	0.4600	Dry	
185		0.91	0.1600	Dry	
186	186 - 1	0.78	0.7800	Dry	
186	186 - 2	0.34	0.0700	Dry	
186	186 - 3	0.39	0.2600	Dry	
187	187-A	0.37	0.370	Dry	
187	187-B	0.35	0.350	Dry	
187	187 - C	0.33	0.1700	Dry	
187	187 - D	1.08	0.7400	Dry	
188	188-1	1.08	0.3700	Dry	
188	188 - 3	0.37	0.1900	Dry	
189	189-A	0.61	0.610	Dry	
189	189-B	0.6	0.200	Dry	
189	189-C	0.14	0.140	Dry	
192	192 - 1	0.49	0.1750	Dry	
193	193 - 2	0.41	0.4100	Dry	
194	194 - 1	0.84	0.8400	Dry	
194	194-2	0.36	0.360	Dry	
194	194 - 3	0.23	0.2300	Dry	
195		2.65	0.6075	Dry	
196	196-1	2.47	0.960	Dry	
197	197 - 1	2.44	1.1200	Dry	
198	198 - 1	0.57	0.2900	Dry	
198	198 - 2	0.40	0.4000	Dry	
198	198 - 4	0.76	0.3800	Dry	
199	199 - C	0.25	0.2500	Dry	
210	210-01	1.40	0.5600	Dry	Proposed Road in R1 Zone
211	211-A	3.97	2.3700	Dry	Proposed Road in R1 Zone
215		2.07	1.3800	Dry	
217	217 - 2	1.94	0.5000	Dry	
217	217 - 3	2.01	2.0100	Dry	


218		3.70	1.3500	Dry	
219	219 - B	6.68	0.6900	Dry	
220		10.40	2.150	Dry	
221	221 - 1	5.18	3.5550	Dry	
221	221-2	3.02	1.760	Dry	
221	221 - 3	4.89	2.8750	Dry	
224	224 - 1	4.35	4.1000	Dry	
224	224-2	2.72	0.185	Dry	
224	224 - 3	1.80	1.2050	Dry	
225	225-A	4.69	2.4400	Dry	
225	225-B	6.43	2.290	Dry	
226	226	5.80	3.3650	Dry	
227	227 - 1	2.96	2.9600	Dry	
227	227-2	3.23	1.873	Dry	
227	227 - 3	3.93	1.2500	Dry	
228	228 - 2	7.92	5.1500	Dry	
229	229 - A	3.48	0.7116	Dry	
229	229-B	3.48	1.240	Dry	
230	230 - A	3.20	3.2000	Dry	
230	230 - B	4.79	4.2900	Dry	
230	230 - C	4.79	1.0100	Dry	
231		5.20	0.060	Dry	
232		4.04	1.2400	Dry	
234		2.56	2.5600	Dry	
236		2.09	0.0100	Dry	
237	237 - 2	2.74	0.7900	Dry	
238		3.52	0.1700	Dry	
239		1.31	1.310	Dry	
240		6.46	3.8600	Dry	
241		3.22	2.520	Dry	
242	242 - B	5.13	2.5100	Dry	
243	243-2	4.78	3.005	Dry	
244		5.18	1.0700	Dry	
245		5.68	3.7000	Dry	
246	246 - 1	1.16	1.1600	Dry	
246	246 - 2	1.48	1.4800	Dry	
246	246 - 3	1.67	1.0100	Dry	
248		2.84	0.820	Dry	
249		6.42	1.8450	Dry	
250		10.86	6.0850	Dry	
251	251 - C	2.10	0.1150	Dry	
251	251-D	1.97	1.330	Dry	
252	252-1	8.62	0.730	Dry	
254	254 - 1	4.66	2.3300	Dry	
254	254 - 2	4.77	1.6400	Dry	
255	255 - A	4.50	2.1700	Dry	
255	255-B	2.13	0.220	Dry	

255	255 - C	4.12	3.8200	Dry	
256		4.64	4.1400	Dry	
257		5.06	5.0600	Dry	
454		5.21	0.7100	Dry	
455		6.78	0.225	Dry	
459		5.02	2.7200	Dry	
460		4.86	3.2000	Dry	
463		3.88	1.2200	Dry	
464		3.52	0.510	Dry	
465		6.88	0.0800	Dry	
			397.841		


Signature of the Special Deputy Collector

COMPETENT AUTHORITY
SPL DEPUTY COLLECTOR
LAND POOLING

 Copy to L&R&B Officer / Tahsildar.


DISTRICT COLLECTOR/
Rep. of Appropriate Government.