



EXTENSION OF VALIDITY OF CONSENT TO ESTABLISH (CTE) ORDER

Lr. No.435/APPCB/CTE/RO-GTR/HO/2018- Dt: 15-05-2025

Sub:APPCB – CTE – APCRDA - Construction of **“Infrastructure Sector Office Complex”** at Sy. Nos. Part of 99, 100,101 of Kondamarajupalem (V) and Part of 246, 253, 254, 259 of Rayapudi (V), Thullur (M), Amaravati Capital City, Guntur District, Andhra Pradesh – **Extension of validity of Consent to Establishment (CTE) Order** – Issued – Reg.

- Ref:
1. EC order dt:14.08.2018 issued by the SEIAA, AP
 2. CTE order dt: 13.11.2018 issued by the Board.
 3. The Commissioner, APCRDA letter submitted on 05.02.2025.
 4. The EE, RO: Guntur report dt:05.03.2025.
 5. CTE Committee meeting held on 18.03.2025.
 6. T.O. letter dt: 06.04.2025.
 7. The Commissioner, APCRDA letter dt: 28.04.2025.

1) M/s. APCRDA, vide reference 1st cited, obtained Environmental Clearance from State Level Environment Impact Assessment Authority (SEIAA), A.P., for construction of **“Infrastructure Sector Office Complex”** covering an area (total built-up area) of **1,49,891.69Sq.m.**, at Sy. Nos. Part of 99, 100,101 of Kondamarajupalem (V) and Part of 246, 253, 254, 259 of Rayapudi (V), Thullur (M), Amaravati Capital City, Guntur District, Andhra Pradesh. As per condition No. i of part-C, the EC is valid for 7 years.

2) The APCRDA, vide reference 2nd cited, obtained **Consent to Establishment (CTE)** from the Board, for construction of Infrastructure Sector Office Complex at Amaravati Capital City, Guntur District, Andhra Pradesh, with a validity period of 7 years, i.e., upto 12.11.2025.

3) The Commissioner, APCRDA, vide reference 3rd cited, submitted representation to the Board for extension of CTE validity on par with validity of EC i.e., 13.08.2029, referring to the MoEF&CC Notifications vide S.O.1807 (E), dt:12/04/2022 (validity of EC is 10 years); Office Memorandum dt: 13.12.2022 & S.O.221(E), dt: 18/01/2021 (one year Covid-19 period shall not be considered for calculation of validity of prior EC granted).

The EE, RO: Guntur submitted the report, vide reference 4th cited to consider the validity of CTE for the period upto 13.08.2029.

4) The issue was placed before the CTE Committee meeting held on 18.03.2025. The JCEE, ZO: Vijayawada and the EE, RO: Guntur attended the meeting through video conference. The representatives of the APCRDA attended the meeting in-person and explained about the project. **After detailed review, the Committee recommended to approve the extension of CTE validity for a period upto 13.08.2029, on par with EC validity as per the MoEF&CC Notifications vide S.O.1807 (E), dt:12/04/2022; Office Memorandum dt: 13.12.2022 & S.O.221(E), dt: 18/01/2021 (one year Covid-19 period**

shall not be considered for calculation of validity of prior EC granted), after submission of undertaking stating that the APCRDA will abide to the CTE order dt: 13.11.2018 issued by the APPCB and stipulated conditions, as follows:

“The Project Proponent (APCRDA) shall submit an undertaking stating that they will abide to the CTE order dt: 13.11.2018 issued by the APPCB and they will comply with all the conditions mentioned in that order. They will obtain fresh CTE from the Board, if any modifications are required in the project.”

5) The Commissioner, APCRDA vide reference 7th cited, submitted an undertaking stating that the APCRDA will abide to the CTE order dt: 13.11.2018 issued by the APPCB and stipulated conditions. Further, submitted that a fresh CTE will be obtained from the APPCB, if any modifications are required in the project, as per decision of the Government.

6) The Board, after careful scrutiny of the undertaking furnished by APCRDA, report of Regional Office: Guntur and recommendation of the CTE Committee, hereby issues **EXTENSION OF VALIDITY PERIOD OF CONSENT TO ESTABLISH ORDER** to the project, under Section 25 of Water (Prevention & Control of Pollution) Act 1974 and Section 21 of Air (Prevention & Control of Pollution) Act, 1981 and the rules made there under with the following conditions:

- a. The validity period of the CTE order dt: **13.11.2018** is extended for the period upto **13.08.2029** (on par with EC validity).
- b. All other conditions stipulated in the CTE order issued, vide reference 2nd cited shall remain the same.
- c. The Project Proponent shall obtain fresh CTE from the Board, if any modifications are required in the project.

S SRI SARAVANAN
Member Secretary

To

The Commissioner, APCRDA
Infrastructure Sector Office Complex,
Sy. Nos. Part of 99, 100,101 of Kondamarajupalem (V) and
Part of 246, 253, 254, 259 of Rayapudi (V),
Thullur (M), Amaravati Capital City,
Guntur District, Andhra Pradesh.
Email: srinivasulu.a@apcrda.org

Copy to:

1. The JCEE, Z.O., Vijayawada for information.
2. The E.E., R.O, Guntur for information and necessary action.